



#### We have a ceiling system to meet your needs.

Now that Chicago Metallic® is part of ROCKFON®, the only limit to your next ceiling is your imagination. From tiles to islands, baffles to metal panels, our integrated solutions are ideal for any interior, thanks to the design, acoustics and fire protection of ROCKFON stone wool tiles, the versatility of our ROCKFON specialty metal panels and the precision engineering of Chicago Metallic suspension systems.







































## **4500/4550 Ultraline**<sup>™</sup> 9/16" with 1/4" Reveal Bolt Slot / Stab / HDG / Seismic Categories D, E & F / Fire-Rated Available








Stab-End 4550 System Cross Tee

Bolt slot regress is available in black, white, or









# 4600 Ultraline<sup>™</sup> 9/16" with 1/8" Reveal Bolt Slot / Stab / HDG / Seismic Categories D, E & F

Stab-End 4600 System Cross Tee Non-Fire-Rated

Bolt slot regress is available in black, white, or white with black reveal






#### 260-280 / 1260-1280 Aluminum Cap 15/16"/HDG with Aluminum Cap / Fire-Rated












660 Wide-Face 1-3/8" / Stab / HDG with Aluminum Cap / HD










730 All Stainless Steel 15/16"/304 Stainless Steel



Hook-End Cross Tee Non-Fire-Rated






### 830 All Aluminum 15/16"/Hook












1830 HDG Steel 15/16" / Stab / HDG G-60 Steel with Aluminum Cap / Fire-Rated







### BarrierGrid<sup>™</sup> Controlled Environment Systems Standard 15/16" or Premium 1-3/8"/

HDG with Aluminum Cap / Closed-Cell Gasket













### Flat Drywall Suspension 1-3/8" Knurled Face / Stab or Hook / QuickClick™ / HD / Fire-Rated Available














ROCKFON offers a wide range of edge options on our acoustic tiles along with numerous suspension systems. Locate the suspension system on the chart to determine the compatible edge details and vice versa to ensure the system fits and assembles together properly.

			ay ya		16		Edge Detail			
		Name and Product Number		Square SQ	Angled Tegular SLT	Square Tegular SL	Square Tegular Narrow SLN	Semi-Concealed SCD	Concealed Shiplap SLP	Concealed X CDX
Suspension System	General Applications	200 / 250 F/R Hook 1200 / 1250 F/R Stab			フ	コに	'	35		25
		Tempra 4000 / 4050 F/R								
		Ultraline 4500 / 4550 F/R (1/4")	ļ							
		Ultraline 4600 (1/8")	ļ							
	Special Applications	Wide Face AL Cap 660	l							
		BarrierGrid Standard / Premium	<u>l</u>							
		AL Cap 260 / 280 F/R AL Cap 1260 / 1280 F/R	l		フ	コに		35	<u> </u>	25
		All Aluminum 830	1		フて	コヒ		35	<u> =</u>	25
		HDG (G60) 1830	l		フ도	コモ		35	<u> =</u>	75
		Stainless Steel 730	l		$\supset \subset$	그도		35		25
		Acoustic Ceiling Tiles		Pacific, Artic, Tropic, Koral, Alaska, Alaska dB, Sonar, Sonar Activity, Sonar dB, Color-All, Hygienic Plus, Medical Standard, Medical Plus, Medical Air, Impact, Industrial, Facett	Alaska, Alaska dB, Sonar, Sonar Activity, Sonar dB	Artic, Tropic, Koral, Color-all, Medical Standard, Medical Plus	Artic, Tropic, Koral, Alaska, Alaska db, Sonar, Sonar dB, Medical Standard, Medical Plus	Alaska, Sonar	Alaska, Sonar, Sonar dB	Alaska, Sonar, Color-all, Medical Plu





