


STANDARD SIZES

HEIGHT	WIDTH	DEPTH
59-3/4" (1509 mm)	12" (305 mm)	12" (305mm)
71-3/4" (1822 mm)	15" (381 mm)	15" (381 mm)
	18" (457 mm)	18" (457 mm)
		24" (610 mm)




INDIVIDUAL UNIT/FRAME

Side panels 3/8" (10 mm) Thick, Tops & Bottoms 1/2" (13 mm) Thick, Shelves 1/2" (13 mm) Thick, Back 1/4" (6 mm) Thick, Hasp 10 gauge Stainless Steel. Door hinge 5 Knuckle Stainless Door 1/2" (13 mm) Thick. Stainless Steel hasp plate and handle. Recessed Stainless Steel number disc. Doors available in 1/2" (13mm) or 3/8" (10mm).

Interior: Vent holes located in Top, Bottom and all Shelves. Two single prong side hooks per door opening. One two prong ceiling mounted hook per door opening.


*Hooks are included standard in 1,2 & Z Tier locker types.

500+ COLOR PATTERNS AVAILABLE FROM TRESPA® & ARPA COLLECTIONS



STANDARD SIZES

HEIGHT	WIDTH	DEPTH
59-3/4" (1509 mm)	12" (305 mm)	12" (305mm)
71-3/4" (1822 mm)	15" (381 mm)	15" (381 mm)
	18" (457 mm)	18" (457 mm)
		24" (610 mm)




INDIVIDUAL UNIT/FRAME

Side panels 3/8" (10 mm) Thick, Tops & Bottoms 1/2" (13 mm) Thick, Shelves 1/2" (13 mm) Thick, Back 1/4" (6 mm) Thick, Hasp 10 gauge Stainless Steel. Door hinge 5 Knuckle Stainless Door 1/2" (13 mm) Thick. Stainless Steel hasp plate and handle. Recessed Stainless Steel number disc. Doors available in 1/2" (13mm) or 3/8" (10mm).

Interior: Vent holes located in Top, Bottom and all Shelves. Two single prong side hooks per door opening. One two prong ceiling mounted hook per door opening.


*Hooks are included standard in 1,2 & Z Tier locker types.

500+ COLOR PATTERNS AVAILABLE FROM TRESPA® & ARPA COLLECTIONS



STANDARD SIZES

HEIGHT	WIDTH	DEPTH
59-3/4" (1509 mm)	12" (305 mm)	12" (305mm)
71-3/4" (1822 mm)	15" (381 mm)	15" (381 mm)
	18" (457 mm)	18" (457 mm)
		24" (610 mm)




INDIVIDUAL UNIT/FRAME

Side panels 3/8" (10 mm) Thick, Tops & Bottoms 1/2" (13 mm) Thick, Shelves 1/2" (13 mm) Thick, Back 1/4" (6 mm) Thick, Hasp 10 gauge Stainless Steel. Door hinge 5 Knuckle Stainless Door 1/2" (13 mm) Thick. Stainless Steel hasp plate and handle. Recessed Stainless Steel number disc. Doors available in 1/2" (13mm) or 3/8" (10mm).

Interior: Vent holes located in Top, Bottom and all Shelves. Two single prong side hooks per door opening. One two prong ceiling mounted hook per door opening.


*Hooks are included standard in 1,2 & Z Tier locker types.

500+ COLOR PATTERNS AVAILABLE FROM TRESPA® & ARPA COLLECTIONS



STANDARD SIZES

HEIGHT	WIDTH	DEPTH
59-3/4" (1509 mm)	12" (305 mm)	12" (305mm)
71-3/4" (1822 mm)	15" (381 mm)	15" (381 mm)
	18" (457 mm)	18" (457 mm)
		24" (610 mm)




INDIVIDUAL UNIT/FRAME

Side panels 3/8" (10 mm) Thick, Tops & Bottoms 1/2" (13 mm) Thick, Shelves 1/2" (13 mm) Thick, Back 1/4" (6 mm) Thick, Hasp 10 gauge Stainless Steel. Door hinge 5 Knuckle Stainless Door 1/2" (13 mm) Thick. Stainless Steel hasp plate and handle. Recessed Stainless Steel number disc. Doors available in 1/2" (13mm) or 3/8" (10mm).

Interior: Vent holes located in Top, Bottom and all Shelves. Two single prong side hooks per door opening. One two prong ceiling mounted hook per door opening.


*Hooks are included standard in 1,2 & Z Tier locker types.

500+ COLOR PATTERNS AVAILABLE FROM TRESPA® & ARPA COLLECTIONS



STANDARD SIZES

HEIGHT	WIDTH	DEPTH
59-3/4" (1509 mm)	12" (305 mm)	12" (305mm)
71-3/4" (1822 mm)	15" (381 mm)	15" (381 mm)
	18" (457 mm)	18" (457 mm)
		24" (610 mm)




INDIVIDUAL UNIT/FRAME

Side panels 3/8" (10 mm) Thick, Tops & Bottoms 1/2" (13 mm) Thick, Shelves 1/2" (13 mm) Thick, Back 1/4" (6 mm) Thick, Hasp 10 gauge Stainless Steel. Door hinge 5 Knuckle Stainless Door 1/2" (13 mm) Thick. Stainless Steel hasp plate and handle. Recessed Stainless Steel number disc. Doors available in 1/2" (13mm) or 3/8" (10mm).

Interior: Vent holes located in Top, Bottom and all Shelves. Two single prong side hooks per door opening. One two prong ceiling mounted hook per door opening.


*Hooks are included standard in 1,2 & Z Tier locker types.

500+ COLOR PATTERNS AVAILABLE FROM TRESPA® & ARPA COLLECTIONS



STANDARD SIZES

HEIGHT	WIDTH	DEPTH
59-3/4" (1509 mm)	12" (305 mm)	12" (305mm)
71-3/4" (1822 mm)	15" (381 mm)	15" (381 mm)
	18" (457 mm)	18" (457 mm)
		24" (610 mm)




INDIVIDUAL UNIT/FRAME

Side panels 3/8" (10 mm) Thick, Tops & Bottoms 1/2" (13 mm) Thick, Shelves 1/2" (13 mm) Thick, Back 1/4" (6 mm) Thick, Hasp 10 gauge Stainless Steel. Door hinge 5 Knuckle Stainless Door 1/2" (13 mm) Thick. Stainless Steel hasp plate and handle. Recessed Stainless Steel number disc. Doors available in 1/2" (13mm) or 3/8" (10mm).

Interior: Vent holes located in Top, Bottom and all Shelves. Two single prong side hooks per door opening. One two prong ceiling mounted hook per door opening.


*Hooks are included standard in 1,2 & Z Tier locker types.

500+ COLOR PATTERNS AVAILABLE FROM TRESPA® & ARPA COLLECTIONS



STANDARD SIZES

HEIGHT	WIDTH	DEPTH
59-3/4" (1509 mm)	12" (305 mm)	12" (305mm)
71-3/4" (1822 mm)	15" (381 mm)	15" (381 mm)
	18" (457 mm)	18" (457 mm)
		24" (610 mm)



INDIVIDUAL UNIT/FRAME

Side panels 3/8" (10 mm) Thick, Tops & Bottoms 1/2" (13 mm) Thick, Shelves 1/2" (13 mm) Thick, Back 1/4" (6 mm) Thick, Hasp 10 gauge Stainless Steel. Door hinge 5 Knuckle Stainless Door 1/2" (13 mm) Thick. Stainless Steel hasp plate and handle. Recessed Stainless Steel number disc. Doors available in 1/2" (13mm) or 3/8" (10mm).


Interior: Vent holes located in Top, Bottom and all Shelves. Two single prong side hooks per door opening. One two prong ceiling mounted hook per door opening.

*Hooks are included standard in 1,2 & Z Tier locker types.


500+ COLOR PATTERNS AVAILABLE FROM TRESPA® & ARPA COLLECTIONS

FIN. GABLE, ENDS


SLOPED TOP




ADJUSTABLE BASE





CORNER FILLER





WALL FILLER





SLOPED TOPS AND BASE, FINISHED GABLES, AND FILLERS

TOP: Flat tops 1/2" (13 mm) Thick with visible ends and edges machine routed to a smooth profile. Sloped tops 1/4" (6 mm) Thick phenolic, supported by gusset. Sloped tops at 24°.

FINISHED END PANEL: Finished End Panels to be 1/2" (13 mm) Thick with visible ends and edges to have a machine routed smooth profile.

BASE: Adjustable 4"(102 mm) - 5"(127 mm) ABS legs, 4 per unit. Base to have solid phenolic base plate mountable to front ABS legs. **FILLER:** Fillers to be included as per drawings. Fillers to be supplied square and to be scribed on site during installation.

MADE IN NORTH AMERICAQuality craftsmanship at competitive pricing. **REQUEST SPECIFICATIONS & SAMPLES** E: info@spectrumlockers.com W: www.spectrumlockers.com **LOCAL REPRESENTATIVE**